

LEBOWITZ PROTOCOL TEST KIT (99 vials)

Product Code 9100

1	11	21	31	41	51	61	71	81	91
2	12	22	32	42	52	62	72	82	92
3	13	23	33	43	53	63	73	83	93
4	14	24	34	44	54	64	74	84	94
5	15	25	35	45	55	65	75	85	95
6	16	26	36	46	56	66	76	86	96
7	17	27	37	47	57	67	77	87	97
8	18	28	38	48	58	68	78	88	98
9	19	29	39	49	59	69	79	89	99
10	20	30	40	50	60	70	80	90	100

First available August 2013; last updated March 2018

Lipid Test Kit vials removed 2017 (and some vials moved to a different order).

1. Mixed Fungus 1 (Fungus 1 Kit)
2. Mixed Fungus 2 (Fungus 2 Kit)
3. Mixed Fungus 3 (Fungus 3 Kit)
4. Mixed Candida (Candida Kit)
5. Mixed Bacteria 1 (Bacteria 1 Kit)
6. Mixed Bacteria 2 (Bacteria 2 Kit excluding Mycoplasma)
7. Mixed Bacteria 3 (Bacteria 3 Kit) – added October 2016
8. Mixed Mycoplasma (Bacteria 2 kit)
9. Helicobacter Pylori (Bacteria 1 Kit)
10. Mixed Parasite 1 (Parasite 1 Kit)
11. Mixed Babesia Plus (Lyme Plus Kit)
12. Mixed Bartonella (Lyme Plus Kit)
13. Mixed Borrelia (Lyme Plus Kit)
14. Mixed Internal Parasite (Parasite 2 Kit)
15. Mixed External Parasite (Parasite 2 Kit)
16. Mixed Parasite 3 (Parasite 3 Kit) – added May 2015
17. Mixed Worms – added March 2018

18. Mixed Protozoa (Protozoa Kit and protozoa from Parasite 1 Kit) – updated August 2015
19. Mixed Rickettsia (Parasite 1 Kit)
20. Mixed Chlamydia (Parasite 1 Kit)
21. Mixed Virus 1 (Virus 1 Kit) – updated May 2007
22. Mixed Virus 2 (Virus 2 Kit) - updated October 2014
23. Mixed Virus 3 (Virus 3 Kit) – Updated February 2016
24. Mixed SIBO (SIBO Kit) – added November 2015
25. Virus + 4 – added March 2018 (EBV, CMV, Herpes Zoster and Human herpes 6)
26. (empty)
27. Mixed Mycotoxins
28. Biofilm
29. Provocation Vial - added March 2016 (contains fibrin, fibrinogen, thrombin, prothrombin and estrone)
30. Lectin Master – added July 2017
31. Lactose (Food Toxins Kit)
32. Casein (Food Toxins Kit)
33. Gliadin (Food Toxins Kit)
34. Zein (Food Toxins Kit)
35. Solanine / Alpha Solanine (Food Toxins Kit)
36. Albumin (from egg) / Ovalubin (Food Toxins Kit)
37. Caffeine (Food Toxins Kit)
38. Theobromine (Food Toxins Kit)
39. Paraxanthine / 1,7-Dimethylxanthine (Food Toxins Kit)
40. Theophylline (Food Toxins Kit)
41. Beef
42. Chicken
43. Garlic
44. Onion
45. Rice, Long Grain, Brown, Organic
46. Soya Bean, Organic
47. Orange
48. Oats, Organic
49. Peanut
50. Cane Sugar
51. Fibrin (Coagulation Kit)
52. Fibrinogen (Coagulation Kit)
53. Prothrombin (Coagulation Kit)
54. Thrombin (Coagulation Kit)
55. Plasmin (Coagulation Kit)
56. Plasminogen (Coagulation Kit)
57. Antithrombin III (Coagulation Kit)
58. Tissue Plasminogen Activator (Coagulation Kit)
59. Homocysteine (Lipid Kit)
60. Glyphosate – added July 2017
61. Mixed Industrial & Environmental 1-2
62. Mixed Industrial & Environmental 3
63. Mixed Industrial & Environmental 4 – added October 2014
64. Mixed Pesticides 1
65. Mixed Pesticides 2
66. Mixed Pesticides 3
67. Mixed Chemicals & Inhalants
68. Mixed Dental

69. Mixed Personal Care
70. Mixed Food Additives
71. Aluminum - revised March 2018
72. Arsenic - revised March 2018
73. Barium – added March 2018
74. Beryllium- revised March 2018
75. Boron- revised March 2018
76. Cadmium - revised March 2018
77. Chromium – added March 2018
78. Copper - revised March 2018
79. Gadolinium – added March 2018
80. Gold – added March 2018
81. Iron – added March 2018
82. Lead - revised March 2018
83. Lithium – added March 2018
84. Manganese – added March 2018
85. Mercury - revised March 2018
86. Nickel - revised March 2018
87. Platinum – added March 2018
88. Silicon – added March 2018
89. Silver – added March 2018
90. Sulfur– added March 2018
91. Tin – added March 2018
92. Titanium - revised March 2018
93. Zinc – added March 2018
94. Zirconium – added March 2018
95. Estrone (Biochemical/Hormone Kit)
96. β -Estradiol/17 Beta-Estradiol (Biochemical/Hormone Kit)
97. Estriol (Biochemical/Hormone Kit)
98. Progesterone (Biochemical/Hormone Kit)
99. Testosterone (Biochemical/Hormone Kit)
100. Histamine (Biochemical/Hormone Kit)

This is sold as a whole kit only. No composites from this kit are sold separately unless you already own that kit. Composites do yield false negative test results at times and it can be very advantageous to own the complete kit. Optimum results are obtained when used in conjunction with the testing protocols of Michael Lebowitz DC available on his teaching DVD's.